

Safety Data Sheet

according to Regulation (EC) No 1907/2006

winterhalter

B 200 S

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

B 200 S

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Acidic all-purpose rinse aid

1.3. Details of the supplier of the safety data sheet

Company name: Winterhalter Gastronom GmbH
Gewerbliche Spülsysteme
Street: Winterhalterstraße 2 - 12
Place: D-88074 Meckenbeuren
Telephone: +49 7542 402-0
Telefax: +49 7542 402-5187
e-mail: info@winterhalter.biz
Internet: www.winterhalter.biz

1.4. Emergency telephone number: +49 30 30686-790

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to 67/548/EEC (1999/45/EC)

Indications of danger: C - Corrosive, Xi - Irritant

R phrases:

Causes severe burns.

Classification according to 1272/2008/EC

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1C

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

2.2. Label elements

Hazardous components which must be listed on the label

Citric acid

Signal word: Danger

Pictograms: GHS05



Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Disposal in accordance with local regulations.

2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

winterhalter

B 200 S

Watch out. Beware, hazard of foam aspiration.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mixture of the following substances with non-hazardous admixtures

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
239-854-6	Sodium p-cumenesulphonate	5 - 15 %
15763-76-5	Xi - Irritant R36	
	Eye Irrit. 2; H319	
01-2119489411-37		
201-069-1	Citric acid	5 - 15 %
5949-29-1	Xi - Irritant R36	
	Eye Irrit. 2; H319	
01-2119457026-42		
	Alcohols, C12-14, ethoxylated, propoxylated	5 - 15 %
68439-51-0	N - Dangerous for the environment R50	
	Aquatic Acute 1 (M-Factor = 1); H400	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.

In the event of persistent symptoms receive medical treatment.

After inhalation

When used as intended, exposure through inhalation is not to be expected.

After contact with skin

Wash with water and soap and rinse thoroughly.

Remove and wash contaminated clothing before re-use.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

After ingestion

Rinse out mouth and give plenty of water to drink. Do not induce vomiting.

In the event of persistent symptoms receive medical treatment.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: the most important known symptoms and effects are described in the product characterisation (s. section 2) and/or in section 11.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. If ingested, gastric lavage with addition of dimethicone (antifoam).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam, carbon dioxide (CO₂), dry chemical, water-spray

Unsuitable extinguishing media

Full water jet.

B 200 S

5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Carbon monoxide and carbon dioxide

5.3. Advice for firefighters

Product does not burn, fire-extinguishing activities according to surrounding.

Additional information

No specific precautions required.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Flush away residues with water.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Follow the directions. Do not mix with other products.

Avoid contact with skin, eyes and clothing. When using do not eat, drink or smoke.

Wash hands before breaks and at the end of workday.

Contaminated work clothing should not be allowed out of the workplace.

Advice on protection against fire and explosion

No specific precautions required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and store at cool and aired place. Store in a dark place.

Do not use aluminium or light metal containers for warehousing.

Advice on storage compatibility

Keep at a distance of acids.

7.3. Specific end use(s)

Acidic all-purpose rinse aid

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

National exposure limits must be considered

8.2. Exposure controls



Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

Wash hands before breaks and at the end of workday. When using do not eat, drink or smoke. Take off immediately all contaminated clothing. Avoid contact with skin, eyes and clothing.

B 200 S

Eye/face protection

Safety goggles (EN 166).

Hand protection

Protective gloves (EN 374).

A list of suitable products with detailed information on service time is available on request.

Respiratory protection

Not required under normal use.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Colour:	Colourless - transparent
Odour:	Product-specific
pH-Value (at 20 °C):	~ 2,0
Melting point:	approx. 0 °C
Initial boiling point and boiling range:	approx. 100 °C
Flash point:	Not applicable
Evaporation rate:	Not determined
Vapour pressure (at 20 °C):	Not determined
Vapour density:	Not determined
Density (at 20 °C):	1,06 - 1,07 g/cm ³
Bulk density:	Not applicable
Water solubility (at 20 °C):	Multimiscible
Solubility in other solvents:	Not determined
Partition coefficient:	Not determined
Ignition temperature:	Not applicable
Viscosity / dynamic (at 20 °C):	< 10 mPa·s
Explosive properties:	The product is not explosive.
Oxidizing properties:	Not determined

9.2. Other information

No data available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

Reactions with base metals, with evolution of hydrogen. Reaction with soapy water (alkali) when heat is generated.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactions with base metals, with evolution of hydrogen. Reaction with soapy water (alkali) when heat is generated.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

Metals, Bases.

10.6. Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information**11.1. Information on toxicological effects**

B 200 S

Acute toxicity

Based on available data, the classification criteria are not met.

Non-ionic surfactants, CAS-No.: 68439-51-0:

LD50/dermal/rat: > 2000 mg/kg

LD50/oral/rat: > 2000 mg/kg

LC50/inhalation/rat: > 5 mg/l (4h)

Sodium p-cumenesulphonate, CAS-No.: 15763-76-5:

LD50/dermal/rat: > 2000 mg/kg

LD50/oral/rat: > 2000 mg/kg

LC50/inhalation/rat: > 5 mg/l (4h)

Citric acid, CAS-No.: 5949-29-1:

LD50/dermal/rat: > 2000 mg/kg

LD50/oral/rat: > 2000 mg/kg

LC50/inhalation/rat: > 5 mg/l (4h)

Irritation and corrosivity

Causes severe skin burns and eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

The product does not contain relevant concentrations of substances with carcinogenic or mutagenic properties and/or such that are reprotoxic.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Organic ingredients: LC50 (Fish, Daphnia magna) > 10 mg/l

12.2. Persistence and degradability

All organic substances contained in the product correspond with the criteria of the test OECD 302 B and the values required for complete biodegradability in Regulation (EC) 648/2004 on Detergents.

12.3. Bioaccumulative potential

The product does not contain relevant concentrations of bioaccumulative substances.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

Refer to section: 2.3

12.6. Other adverse effects

An ecological certificate with detailed information on environmental sustainability is available on request.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Can be incinerated, when in compliance with local regulations.

Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Waste disposal number of contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

B 200 S

Contaminated packaging

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN 3265
 14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Citric acid)
 14.3. Transport hazard class(es): 8
 14.4. Packing group: III
 Hazard label: 8



Classification code: C3
 Special Provisions: 274
 Limited quantity: 5 L
 Transport category: 3
 Hazard No: 80
 Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number: UN 3265
 14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Citric acid)
 14.3. Transport hazard class(es): 8
 14.4. Packing group: III
 Hazard label: 8



Classification code: C3
 Limited quantity: 5 L

Marine transport (IMDG)

14.1. UN number: UN 3265
 14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Citric acid)
 14.3. Transport hazard class(es): 8
 14.4. Packing group: III
 Hazard label: 8



Special Provisions: 223, 274
 Limited quantity: 5 L
 EmS: F-A, S-B

Air transport (ICAO)

14.1. UN number: UN 3265
 14.2. UN proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (Citric acid)
 14.3. Transport hazard class(es): 8
 14.4. Packing group: III
 Hazard label: 8

Safety Data Sheet

according to Regulation (EC) No 1907/2006

winterhalter

B 200 S



Special Provisions:	A3 A803	
Limited quantity Passenger:	1 L	
IATA-packing instructions - Passenger:		852
IATA-max. quantity - Passenger:		5 L
IATA-packing instructions - Cargo:		856
IATA-max. quantity - Cargo:		60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No specific precautions required.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

The transport takes place only in approved and appropriate packaging.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

1999/13/EC (VOC): < 30%

Additional information

Ingredients according to EC Detergents Regulation 648/2004:

Non-ionic surfactants 5 - 15 %

Organic acids, additives.

National regulatory information

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Abbreviations and acronyms

EC Directives: acts of the European Union, part of the secondary Union law

CAS-Nr.: Chemical Abstracts Service

TRGS 510: Technical Rules for Hazardous Substances "storage of hazardous materials in portable tanks"

TRGS 900: Technical Rules for Hazardous Substances "workplace exposure limits"

EN 374: Standard for protective gloves (gloves for protection against chemicals and micro-organisms)

EN 166: European safety standards for eye and face protection (requirements)

STOT: Specific target organ toxicity

AVV: European Waste Catalogue

VOC: Volatile organic compound

GHS: Globally Harmonized System of Classification, Labelling and Packaging of Chemicals

ADR: Agreement concerning the international carriage of Dangerous goods by Road

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail

IMDG-Code: International Maritime Code for Dangerous Goods

ADN: sea and inland waterway transport

ICAO: International Civil Aviation Organization

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships

IBC-Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

n.a. - not applicable

Relevant R-phrases (Number and full text)

36 Irritating to eyes.

50 Very toxic to aquatic organisms.

Relevant H- and EUH-phrases (Number and full text)

H290 May be corrosive to metals.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

winterhalter

B 200 S

H314 Causes severe skin burns and eye damage.
H319 Causes serious eye irritation.
H400 Very toxic to aquatic life.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)
